

(3) *Limitations.* Do not use in horses intended for human consumption. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[79 FR 16194, Mar. 25, 2014]

§ 522.1883 Prednisolone sodium phosphate.

(a) *Specifications.* Each milliliter of solution contains 20 milligrams (mg) prednisolone sodium phosphate (equivalent to 14.88 mg of prednisolone).

(b) *Sponsor.* See No. 061623 in § 510.600(c) of this chapter.

(c) *Conditions of use in dogs—(1) Amount.* Administer intravenously in a dosage of 2½ to 5 mg per pound of body weight, initially for shock and shock-like states, followed by equal maintenance doses at 1-, 3-, 6-, or 10-hour intervals as determined by the condition of the animal.

(2) *Indications for use.* Administer when a rapid adrenal glucocorticoid and/or anti-inflammatory effect is necessary.

(3) *Limitations.* Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[68 FR 59881, Oct. 20, 2003]

§ 522.1884 Prednisolone sodium succinate.

(a) *Specifications.* Each milliliter of prednisolone sodium succinate injection contains: Prednisolone sodium succinate equivalent in activity to 10, 20, or 50 milligrams (mg) of prednisolone.

(b) *Sponsor.* See No. 054771 in § 510.600(c) of this chapter for products containing 10, 20, and 50 mg equivalent prednisolone activity per milliliter for use in horses, dogs, and cats as provided in paragraphs (c)(1)(i), (ii), and (iii) of this section.

(c) *Conditions of use—(1) Amount and indications for use—(i) Horses.* Administer 50 to 100 mg as an initial dose by intravenous injection over a period of one-half to 1 minute, or by intramuscular injection, and may be repeated in inflammatory, allergic, or other stress conditions at intervals of 12, 24, or 48 hours, depending upon the size of the animal, the severity of the condition and the response to treatment.

(ii) *Dogs.* Administer by intravenous injection at a range of 2.5 to 5 mg per pound of body weight as an initial dose followed by maintenance doses at 1, 3, 6, or 10 hour intervals, as determined by the condition of the animal, for treatment of shock.

(iii) *Dogs and cats.* Administer by intramuscular injection for treatment of inflammatory, allergic, and less severe stress conditions, where immediate effect is not required, at 1 to 5 mg ranging upward to 30 to 50 mg in large breeds of dogs. Dosage may be repeated in 12 to 24 hours and continued for 3 to 5 days if necessary. If permanent corticosteroid effect is required, oral therapy with prednisolone tablets may be substituted.

(2) *Limitations.* Do not use in horses intended for human consumption. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[79 FR 16194, Mar. 25, 2014]

§ 522.1885 Prednisolone tertiary butylacetate.

(a) *Specifications.* Each milliliter of suspension contains 20 milligrams (mg) of prednisolone tertiary butylacetate.

(b) *Sponsor.* See No. 050604 in § 510.600(c) of this chapter.

(c) *Conditions of use—(1) Amount—(i) Horses:* Administer by intramuscular injection 100 to 300 mg or by intrasynovial injection at a dosage level of 50 to 100 mg. Retreatment of horses in 24 to 48 hours may be necessary, depending on the general condition of the animal and the severity and duration of the disease.

(ii) *Dogs and cats:* Administer by intramuscular injection 1 mg per 5 pounds of body weight or intrasynovially at a dosage level of 10 to 20 mg.

(2) *Indications for use.* It is used as an anti-inflammatory agent in horses, dogs, and cats.

(3) *Limitations.* Do not use in horses intended for human consumption. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[79 FR 16194, Mar. 25, 2014]